

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,361	03/01/2004	Joseph Z. Wascow	0212.69069	9336
24978	7590 08/11/2005		EXAM	INER
GREER, BURNS & CRAIN			ZARROLI, MICHAEL C	
300 S WACK	ER DR			
25TH FLOOR	<b>t</b>		ART UNIT	PAPER NUMBER
CHICAGO, I	L 60606		2839	
			DATE MAILED: 08/11/2004	ς .

DATE MAILED: 08/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		AX	
	Application No.	Applicant(s)	
Office Action Summan	10/790,361	WASCOW ET AL.	
Office Action Summary	Examiner	Art Unit	
	Michael C. Zarroli	2839	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with	n the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reactive of the period for reply is specified above, the maximum statutory perions are period for reply within the set or extended period for reply will, by status Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	1.  1.136(a). In no event, however, may a repepty within the statutory minimum of thirty will apply and will expire SIX (6) MONT ute, cause the application to become ABA	oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).	
Status			
<ul> <li>1) Responsive to communication(s) filed on 30</li> <li>2a) This action is FINAL. 2b) Th</li> <li>3) Since this application is in condition for allow closed in accordance with the practice under</li> </ul>	nis action is non-final. vance except for formal matte		
Disposition of Claims			
4) Claim(s) 1-33 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) Claim(s) is/are allowed. 6) Claim(s) 1-11,13,26,29 and 31-33 is/are rejet 7) Claim(s) 12,14-25,27,28 and 30 is/are object 8) Claim(s) are subject to restriction and Application Papers 9) The specification is objected to by the Examination The drawing(s) filed on 18 March 2004 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the corresponding sheet(s) including sheet(s) including the corresponding sheet(s) including sheet(s) sheet(s) including sheet(s) including sheet(s) including sheet(s) including sheet(s) including sheet(s) including sheet(s) includ	rawn from consideration.  cted.  ted to.  l/or election requirement.  ner.  : a)⊠ accepted or b)□ objeute drawing(s) be held in abeyand	e. See 37 CFR 1.85(a).	
11) The oath or declaration is objected to by the			
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Apiority documents have been reau (PCT Rule 17.2(a)).	plication No eceived in this National Stage	
Attachment(s)	<b>Λ</b> □	- 	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date</li> </ol>		/Mail Date ormal Patent Application (PTO-152)	

Application/Control Number: 10/790,361 Page 2

Art Unit: 2839

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-6 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Rosa et al.

Rosa discloses a power cord retaining system (title) for use with a power tool (12) configured for accommodating an extension cord (314), said system comprising: a cord capture formation (310) disposed on the tool (fig. 20) for retaining the extension cord disposed on the tool; and a cord channel (312) disposed on an outside surface of the tool and <a href="having an arcuate shape">having an arcuate shape</a> (figures 22 & 23 show 312 with an arcuate), said cord channel configured for contacting and supporting a loop of the cord substantially along a semi-circular path defined by the loop (fig. 20); wherein said cord capture formation and said cord channel are disposed in operational relationship to each other (figures 20 & 22) on the tool to restrain the

loop of the cord in a cord plane, said cord plane being generally parallel to a major axis of the tool (figures 20 & 22).

Regarding claim 2 Rosa discloses that said cord capture formation and said cord channel are constructed and arranged on the tool for the user to view said cord channel when the cord is installed and removed (figures 22 & 23).

Regarding claim 3 Rosa discloses that the tool has a receptacle (318) for receiving an end (316a) of the extension cord, and said cord capture formation and said cord channel are disposed in relation to the tool so that the restrained cord forms only two loop planes (fig. 20 at 314 and around 312) when the cord is plugged into the tool.

Regarding claim 4 Rosa discloses that the cord capture formation is configured for maintaining an orientation of the cord that prevents bends and kinks in the cord when the cord is retained in the system (fig 20).

Regarding claim 5 Rosa discloses that said cord channel has inclined leading and trailing edges (figures 22 & 23).

Regarding claim 6 Rosa discloses a cord lock (curved end of 312) for securing the cord in said cord channel.

3. Claims 7-11, 13, 26, 29, 31-33 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Rosa et al.

Rosa discloses a plug retaining system (title) for use with a power tool configured for maintaining electrical continuity between the plug (316a) and the tool (300), said system comprising: contact means (324) configured for engaging the plug disposed on the tool; and attachment means (304) configured for attaching said contact means to the tool (fig. 20) wherein said attachment means is disposed on the tool (fig. 20) immediately proximate a receptacle (318) on the tool configured to receive the plug (316).

Regarding claim 8 Rosa discloses that said contact means exerts at least one of a radial force and an axial force on the plug (action of fingers of 306 in figures 20 & 23).

Regarding claim 9 Rosa discloses a docking enclosure (322) provided on said tool, wherein said attachment means are attached to said docking enclosure (fig. 21).

Regarding claim 10 Rosa discloses a cord retaining system for use with the power tool configured for accommodating an extension cord (314), said cord retaining system comprising; a cord capture formation (310) for retaining the extension cord (fig. 20) disposed on the tool; and a cord channel (312) disposed on the tool and configured for supporting a loop of the cord substantially along an arc defined by the loop (fig. 20).

Regarding claim 11 Rosa discloses that said attachment means includes: a ring (fig. 21 at 304) disposed on the tool configured for attaching said contact means to the tool; and said contact means includes at least one finger (306) extending from said ring configured for engaging the plug.

Regarding claim 13 Rosa discloses that said ring further comprises at least one attachment formation, wherein one of said at least one attachment formation is an aperture (fig. 21 hole) configured for engaging corresponding structure (320 & 322) on the tool.

Regarding claim 26 Rosa discloses a collar (304) rotatably disposed on the tool configured for attaching said contact means to the tool (fig. 21); and said contact means includes at least one spline (306) associated with said collar and configured for engaging the plug.

Regarding claim 29 Rosa discloses a plug retaining system (title) for use with a power tool (12) configured for maintaining electrical continuity between the plug (316a) and the tool, said system comprising; a ring (304) disposed on the tool configured for attaching said contact means to the tool (figures 20 & 21) said ring disposed on the tool (fig. 20) immediately proximate a receptacle (318) of the tool configured to receive the plug (fig. 22); and at least one finger (306) extending from said ring configured for engaging the plug (fig. 20).

Regarding claim 31 Rosa discloses that said ring further comprises at least one attachment formation, wherein one of said at least one attachment formation is an aperture (fig. 21 hole) for engaging corresponding structure (320, 322 on the tool. Regarding claim 32 Rosa discloses that said ring is friction fit into said at least one locating structure (figures 20 & 21).

Claim 33 Rosa discloses that a cord retaining system (title) and a plug (316a) retaining system, said cord retaining system configured for accommodating an extension cord (314) on a power tool (302), and said plug retaining system configured for maintaining electrical continuity between the plug and the tool (fig. 23), the retaining system comprising: contact means (324) for engaging the plug disposed on the tool; attachment means (304) configured for attaching said contact means to the tool (fig. 22); a cord capture formation (310) for retaining the extension cord disposed on the tool; and a cord channel (312) disposed on the tool and having an arcuate shape (fig. 23 shows 312 with an arcuate), said cord channel configured for contacting and supporting a loop of the cord substantially along an arc defined by the loop (fig. 20).

## Allowable Subject Matter

4. Claims 12, 14-25, 27, 28 and 30 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Response to Arguments

5. Applicant's arguments filed 6/30/05 have been fully considered but they are not persuasive.

The examiner believes Rosa 312 is arcuate; see figure 22 for example. The next page of this action shows a dictionary definition of the term arcuate. In addition figure 20 of Rosa shows the cord being supported by 312 along a semi circular path. Component 312 of Rosa is arcuate as shown in figures 22 & 23 so how can there be a "linear" surface?

In response to applicant's argument on page 16, a recitation of the intended use of the claimed invention must result in a **structural difference** between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art.

See *In re Casey*, 370 F.2d 576, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 312 F.2d 937, 939, 136 USPQ 458, 459 (CCPA 1963).

#### Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Zarroli whose telephone number is 571-272-2101. The examiner can normally be reached on 7:30 to 3:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, T.C. Patel can be reached on (571) 272-2800 ext 39. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866/217-9197 (toll-free).

Michael C. Zarroli Primary Examiner Art Unit 2839 Page 9

MCZ MCZ

# xreferplus



Academic Press Dictionary of Science and Technology from Elsevier Science & Technology

This entry was brought to you by US Patent and Trademark Office.

### arcuate

Anatomy

Arched or curved like a bow.

Copyright © 1992, 1996 by Academic Press

Citing this entry

arcuate. Academic Press Dictionary of Science and Technology (1992). Retrieved 09 August 2005, from xreferplus. http://www.xreferplus.com/entry/3073212